

HYINTECH

HYH06

HF(13.56MHZ) Desktop

RFID Reader&Writer



OEM, No Logo on Product is Available

General Description

HYH06 series desktop readers are smart modules without touching based on international standard agreement ISO14443A, ISO14443B and ISO15693.,is equipped with high capability chip, processor, security and electric monitor. The reader can communicate with PC by means of interface. It is of high capability, anti-jamming, small size and good quality, which brings more convenience.

Application:

- Identification
- Access control, PC Access
- Customizing cards
- Payment
- Anti-fake
- Library management

Specification

Model Number	HYH06A	HYH06B	HYH06C
Dimension	110x80x25mm		
Standard	ISO14443A	ISO15693	ISO14443A ISO14443B ISO15693
Support	Mifare One S70 Mifare One UltraLight Mifare One S50 Mifare Pro AT88RF020 66CL160S	SR176 SRIX4K (TYPE-B) I-Code2 TI RFid Tag-it HF-I EM4135 EM4034 etc.	
Frequency	13.56MHz		
speed	106kbit/s		
Baud Rate	9600-115200 bit/s		
Power Supply	+5V DC		
Consumed Current	< 80mA		
Operating Distance	50--70mm		
Interface	RS232; USB; RJ45(Optional)		
Status Indication	1pcs LED; 1pcd buzzer		
Service Temperature	-10℃ ~ +70℃		
Store Temperature	-20℃ ~ +80℃		

Hyintech Team

Supply You Best Products,

Free Detailed Manual and SDK

Most Professional Technical Support

Be Your Best Friend and Loyal Long Term Partner.

More Detail Please Visit Our website www.hyintech.com